Live Births

TITLE V INDICATOR TEMPLATE

| INDICATOR: | Crude Birth Rate | | | | | |
|--------------------------------|--|--|--|--|--|--|
| DEFINITION: | The number of live births per 1,000 total population | | | | | |
| NUMERATOR: | The number of live births, by place of residence, in a calendar year | | | | | |
| DENOMINATOR: | The total population, by place of residence, in a calendar year | | | | | |
| HEALTHY PEOPLE 2010 OBJECTIVE: | | | | | | |

None


RISK FACTORS: Not applicable

| | | Calif | ornia | | Los Angeles County | | | | |
|------|-------------------|-------|-------------|---------------|--------------------|----------|-------------------------|-------|--|
| Year | Total Live Births | | 95% Confide | ence Interval | Total Liv | e Births | 95% Confidence Interval | | |
| Teal | Number | Rate | Lower | Upper | Number | Rate | Lower | Upper | |
| 1997 | 524,174 | 16.2 | 16.1 | 16.2 | 162,036 | 17.6 | 17.6 | 17.7 | |
| 1998 | 521,265 | 15.9 | 15.8 | 15.9 | 158,604 | 17.1 | 17.0 | 17.2 | |
| 1999 | 518,073 | 15.5 | 15.5 | 15.5 | 156,153 | 16.6 | 16.5 | 16.7 | |
| 2000 | 531,285 | 15.6 | 15.5 | 15.6 | 157,391 | 16.4 | 16.4 | 16.5 | |
| 2001 | 527,371 | 15.2 | 15.1 | 15.2 | 153,523 | 15.8 | 15.7 | 15.8 | |
| 2002 | 529,245 | 15.0 | 14.9 | 15.0 | 151,167 | 15.3 | 15.2 | 15.3 | |
| 2003 | 540,827 | 15.0 | 15.0 | 15.1 | 152,192 | 15.1 | 15.1 | 15.2 | |
| 2004 | 544,685 | 14.9 | 14.9 | 15.0 | 151,504 | 14.9 | 14.8 | 15.0 | |
| 2005 | 548,700 | 14.8 | 14.8 | 14.9 | 150,377 | 14.7 | 14.6 | 14.8 | |
| 2006 | 562,157 | 15.0 | 15.0 | 15.1 | 151,837 | 14.8 | 14.7 | 14.9 | |

| Denominator: Total Population | | | | | | | |
|-------------------------------|------------|------------|--|--|--|--|--|
| Year | California | LA County | | | | | |
| 1997 | 32,452,789 | 9,185,566 | | | | | |
| 1998 | 32,862,956 | 9,265,805 | | | | | |
| 1999 | 33,418,581 | 9,394,314 | | | | | |
| 2000 | 34,105,437 | 9,578,960 | | | | | |
| 2001 | 34,789,735 | 9,747,138 | | | | | |
| 2002 | 35,397,005 | 9,910,245 | | | | | |
| 2003 | 35,994,731 | 10,046,518 | | | | | |
| 2004 | 36,525,947 | 10,152,410 | | | | | |
| 2005 | 36,957,436 | 10,216,326 | | | | | |
| 2006 | 37,380,870 | 10,262,451 | | | | | |

Sources: California Department of Public Health, Center for Health Statistics, OHIR Vital Statistics Section, 1997-2006.

Denominator data: California Department of Finance, "Race/Ethnic Population with Age and Sex Detail, 2000-2050", Sacramento, California, July 2007.



Sources: California Department of Public Health, Center for Health Statistics, OHIR Vital Statistics Section, 1997-2006.

Denominator data: California Department of Finance, "Race/Ethnic Population with Age and Sex Detail, 1990-1999", Sacramento, California, May, 2004. Denominator data: California Department of Finance, "Race/Ethnic Population with Age and Sex Detail, 2000-2050", Sacramento, California, July 2007.

TITLE V INDICATOR TEMPLATE

| INDICATOR: | Percent of Total Live Births by Mother's Race/Ethnicity, 2006 |
|--------------|--|
| DEFINITION: | The percent of total live births for selected race/ethnic groups |
| NUMERATOR: | Number of live births, by mother's race/ethnicity, by place of residence, in a calendar year |
| DENOMINATOR: | Total number of live births, by place of residence, in a calendar year |
| | CTIVE |

HEALTHY PEOPLE 2010 OBJECTIVE:


None

RISK FACTORS: Not applicable

| | | 2006 Ca | alifornia | | 2006 LA County | | | | | |
|----------------------------|---------|---------|-----------------|-------|----------------|---------|----------------------------|-------|--|--|
| Mother's Race/Ethnicity | Live E | Births | 95% Cor Inte | | Live E | Births | 95% Confidence Interval | | | |
| | Number | Percent | Lower | Upper | Number | Percent | Lower | Upper | | |
| African American | 31,898 | 5.7 | 5.6 | 5.7 | 11,531 | 7.6 | 7.5 | 7.7 | | |
| Asian* | 64,569 | 11.5 | 11.4 | 11.6 | 16,114 | 10.6 | 10.5 | 10.8 | | |
| Hispanic | 293,276 | 52.2 | 52.0 | 52.3 | 96,490 | 63.5 | 63.3 | 63.8 | | |
| Native American | 2,484 | 0.4 | 0.4 | 0.5 | 235 | 0.2 | 0.1 | 0.2 | | |
| Pacific Islander | 2,862 | 0.5 | 0.5 | 0.5 | 551 | 0.4 | 0.3 | 0.4 | | |
| White | 158,228 | 28.1 | 28.0 | 28.3 | 26,279 | 17.3 | 17.1 | 17.5 | | |
| Other | 282 | 0.1 | 0.0 | 0.1 | 109 | 0.1 | 0.1 | 0.1 | | |
| Unknown | 8,558 | 1.5 | 1.5 | 1.6 | 528 | 0.3 | 0.3 | 0.4 | | |
| Total | 562,157 | 100.0 | 100.0 | 100.0 | 151,837 | 100.0 | 100.0 | 100.0 | | |

| Denominator: Total Live Births 2006 | | | | | | | |
|--|-----------|--|--|--|--|--|--|
| California | LA County | | | | | | |
| 562,157 | 151,837 | | | | | | |
| 562,157 | 151,837 | | | | | | |
| 562,157 | 151,837 | | | | | | |
| 562,157 | 151,837 | | | | | | |
| 562,157 | 151,837 | | | | | | |
| 562,157 | 151,837 | | | | | | |
| 562,157 | 151,837 | | | | | | |
| 562,157 | 151,837 | | | | | | |
| 562,157 | 151,837 | | | | | | |

Note: * Filipinos are included with Asians.



Note: * Filipinos are included with Asians.

TITLE V INDICATOR TEMPLATE

| INDICATOR: | Percent of Total Live Births by Mother's Race/Ethnicity, 1997-2006 |
|------------|--|
| INDICATOR: | Percent of Total Live Births by Mother's Race/Ethnicity, 1997-2006 |

- **DEFINITION:** The percent of total live births for selected race/ethnic groups over time
- NUMERATOR: Number of live births, by mother's race/ethnicity, by place of residence, in a calendar year
- **DENOMINATOR:** Total number of live births, by place of residence, in a calendar year

HEALTHY PEOPLE 2010 OBJECTIVE:

None

RISK FACTORS: Not applicable

| | California Live Births | | | | | | | | | | | | | | |
|------|------------------------|----------|--------|---------|-----------------|---------|-----------------|---------|------------------|---------|---------|---------|---------------|---------|-----------------|
| Year | African A | American | Asian* | | Asian* Hispanic | | Native American | | Pacific Islander | | White | | Other/Unknown | | Total Births |
| | Number | Percent | Number | Percent | Number | Percent | Number | Percent | Number | Percent | Number | Percent | Number | Percent | Number |
| 1997 | 35,957 | 6.9 | 54,164 | 10.3 | 248,795 | 47.5 | 2,582 | 0.5 | 2,779 | 0.5 | 177,347 | 33.8 | 2,859 | 0.5 | 524,174 |
| 1998 | 35,200 | 6.8 | 53,855 | 10.3 | 247,796 | 47.5 | 2,587 | 0.5 | 2,818 | 0.5 | 176,598 | 33.9 | 3,548 | 0.7 | 521,265 |
| 1999 | 34,136 | 6.6 | 52,718 | 10.2 | 249,253 | 48.1 | 2,501 | 0.5 | 2,840 | 0.5 | 172,108 | 33.2 | 3,029 | 0.6 | 518,073 |
| 2000 | 32,302 | 6.1 | 54,206 | 10.2 | 257,958 | 48.6 | 1,975 | 0.4 | 2,376 | 0.4 | 168,406 | 31.7 | 3,138 | 0.6 | 531,285 |
| 2001 | 32,469 | 6.2 | 58,876 | 11.2 | 260,996 | 49.5 | 2,229 | 0.4 | 2,832 | 0.5 | 166,772 | 31.6 | 3,479 | 0.7 | 527,371 |
| 2002 | 31,381 | 5.9 | 58,594 | 11.1 | 263,023 | 49.7 | 2,261 | 0.4 | 2,905 | 0.5 | 164,581 | 31.1 | 4,400 | 0.8 | 529,245 |
| 2003 | 30,918 | 5.7 | 60,694 | 11.2 | 269,691 | 49.9 | 2,294 | 0.4 | 2,722 | 0.5 | 166,249 | 30.7 | 5,980 | 1.1 | 540,827 |
| 2004 | 30,469 | 5.6 | 62,973 | 11.6 | 275,188 | 50.5 | 2,353 | 0.4 | 2,857 | 0.5 | 162,210 | 29.8 | 7,946 | 1.5 | 544,685 |
| 2005 | 30,538 | 5.6 | 63,334 | 11.5 | 282,823 | 51.5 | 2,421 | 0.4 | 2,868 | 0.5 | 159,235 | 29.0 | 7,481 | 1.4 | 548,700 |
| 2006 | 31,898 | 5.7 | 64,569 | 11.5 | 293,276 | 52.2 | 2,484 | 0.4 | 2,862 | 0.5 | 158,228 | 28.1 | 8,840 | 1.6 | 562,157 |

Note: * Filipinos are included with Asians.


TITLE V INDICATOR TEMPLATE

| INDICATOR: |
|------------|
|------------|


Percent of Total Live Births by Mother's Race/Ethnicity, 1997-2006 (continued)

| | Los Angeles County Live Births | | | | | | | | | | | | | | |
|------|--------------------------------|----------|--------|---------|-----------------|---------|--------------------|---------|------------------|---------|--------|---------|---------------|---------|-----------------|
| Year | African A | American | Asian* | | Asian* Hispanic | | Native American Pa | | Pacific Islander | | White | | Other/Unknown | | Total Births |
| | Number | Percent | Number | Percent | Number | Percent | Number | Percent | Number | Percent | Number | Percent | Number | Percent | Number |
| 1997 | 15,184 | 9.0 | 15,225 | 9.0 | 105,175 | 62.2 | 313 | 0.2 | 625 | 0.4 | 32,151 | 19.0 | 300 | 0.2 | 168,973 |
| 1998 | 14,530 | 9.0 | 14,943 | 9.2 | 100,228 | 61.9 | 304 | 0.2 | 611 | 0.4 | 31,072 | 19.2 | 348 | 0.2 | 162,036 |
| 1999 | 14,246 | 9.0 | 14,304 | 9.0 | 98,074 | 61.8 | 262 | 0.2 | 664 | 0.4 | 30,621 | 19.3 | 433 | 0.3 | 158,604 |
| 2000 | 13,724 | 8.8 | 14,397 | 9.2 | 97,103 | 62.2 | 270 | 0.2 | 653 | 0.4 | 29,514 | 18.9 | 492 | 0.3 | 156,153 |
| 2001 | 13,468 | 8.6 | 15,766 | 10.0 | 97,719 | 62.1 | 248 | 0.2 | 635 | 0.4 | 29,094 | 18.5 | 461 | 0.3 | 157,391 |
| 2002 | 12,671 | 8.3 | 14,920 | 9.7 | 96,288 | 62.7 | 253 | 0.2 | 617 | 0.4 | 28,179 | 18.4 | 595 | 0.4 | 153,523 |
| 2003 | 11,973 | 7.9 | 15,301 | 10.1 | 94,742 | 62.7 | 253 | 0.2 | 623 | 0.4 | 27,674 | 18.3 | 601 | 0.4 | 151,167 |
| 2004 | 11,849 | 7.8 | 15,749 | 10.3 | 95,070 | 62.5 | 212 | 0.1 | 577 | 0.4 | 28,060 | 18.4 | 675 | 0.4 | 152,192 |
| 2005 | 11,459 | 7.6 | 15,850 | 10.5 | 94,780 | 63.0 | 233 | 0.2 | 603 | 0.4 | 26,569 | 17.7 | 883 | 0.6 | 150,377 |
| 2006 | 11,531 | 7.6 | 16,114 | 10.6 | 96,490 | 63.5 | 235 | 0.2 | 551 | 0.4 | 26,279 | 17.3 | 637 | 0.4 | 151,837 |


Note: * Filipinos are included with Asians.



Note: * Filipinos are included with Asians.



Note: * Filipinos are included with Asians.




| Los Angeles County, 2006 | | | | | | | | |
|--------------------------|---------|--------|-------------------------|-------|--|--|--|--|
| Mother's | Live E | Births | 95% Confidence Interval | | | | | |
| Race/Ethnicity | Number | Rate | Lower | Upper | | | | |
| African American | 11,069 | 12.3 | 12.1 | 12.6 | | | | |
| Asian/Pacific Islander | 16,241 | 12.1 | 11.9 | 12.3 | | | | |
| Hispanic | 96,490 | 20.1 | 20.0 | 20.2 | | | | |
| Native American | 189 | 6.3 | 5.4 | 7.2 | | | | |
| White | 25,655 | 8.5 | 8.4 | 8.6 | | | | |
| Two or More Races | 1,567 | 9.0 | 8.5 | 9.4 | | | | |
| Total | 151,837 | 14.8 | 14.7 | 14.9 | | | | |

| | Total Population |
|---|---------------------|
| | 896,702 |
| ſ | 1,344,914 |
| ſ | 4,805,246 |
| I | 29,946 |
| | 3,010,955 |
| I | 174,688 |
| I | 10,262,451 |

Note: The number of live births that were categorized as 'Other/Unknown' were 626.


Source: California Department of Public Health, Center for Health Statistics, OHIR Vital Statistics Section, 2006.

Denominator data: California Department of Finance, "Race/Ethnic Population with Age and Sex Detail, 2000-2050", Sacramento, California, July 2007.




| La | os Angeles C | ounty, 2006 | | |
|--------------------------------|--------------|-------------|-------------|---------------|
| Service Planning Area (SPA) | Live E | Births | 95% Confide | ence Interval |
| (JFA) | Number | Percent | Lower | Upper |
| SPA 1 : Antelope Valley | 6,140 | 4.0 | 3.9 | 4.1 |
| SPA 2 : San Fernando | 29,369 | 19.3 | 19.1 | 19.5 |
| SPA 3 : San Gabriel | 25,702 | 16.9 | 16.7 | 17.1 |
| SPA 4 : Metro | 16,759 | 11.0 | 10.9 | 11.2 |
| SPA 5 : West | 6,855 | 4.5 | 4.4 | 4.6 |
| SPA 6 : South | 22,546 | 14.8 | 14.7 | 15.0 |
| SPA 7 : East | 21,299 | 14.0 | 13.9 | 14.2 |
| SPA 8: South - Bay | 22,791 | 15.0 | 14.8 | 15.2 |
| Unknown | 376 | 0.2 | 0.2 | 0.3 |
| Total | 151,837 | 100.0 | 100.0 | 100.0 |

- Note: The mothers' residential zip codes were used to allocate live births to corresponding SPA. SPA corresponding to each zip code (published in 2003) were designated using the zip code centroids. Published statistics based on other corresponding tables may vary when compared. Records that cannot be assigned to any SPA are classified as 'Unknown'.
- Source: California Department of Public Health, Center for Health Statistics, OHIR Vital Statistics Section, 2006.




| | Los Angeles County, 2006 | | | | | | | | | | | |
|---------------|--------------------------|---------|-------------------------|-------|--|--|--|--|--|--|--|--|
| Mother's Age | Live E | Births | 95% Confidence Interval | | | | | | | | | |
| | Number | Percent | Lower | Upper | | | | | | | | |
| < 18 | 5,183 | 3.4 | 3.3 | 3.5 | | | | | | | | |
| 18 to 19 | 9,804 | 6.5 | 6.3 | 6.6 | | | | | | | | |
| 20 to 34 | 108,672 | 71.6 | 71.3 | 71.8 | | | | | | | | |
| 35+ | 28,156 | 18.5 | 18.3 | 18.7 | | | | | | | | |
| Other/Unknown | 22 | 0.0 | 0.0 | 0.0 | | | | | | | | |
| Total | 151,837 | 100.0 | 100.0 | 100.0 | | | | | | | | |




| | Los Angeles | Los Angeles County, 2006 | | | | | | | | | | | |
|---------|-------------|--------------------------|-------------|---------------|--|--|--|--|--|--|--|--|--|
| Parity | Live E | Births | 95% Confide | ence Interval | | | | | | | | | |
| | Number | Percent | Lower | Upper | | | | | | | | | |
| 1 | 59,192 | 39.0 | 38.7 | 39.2 | | | | | | | | | |
| 2 | 47,120 | 31.0 | 30.8 | 31.3 | | | | | | | | | |
| 3 | 26,871 | 17.7 | 17.5 | 17.9 | | | | | | | | | |
| 4 | 11,534 | 7.6 | 7.5 | 7.7 | | | | | | | | | |
| 5+ | 6,968 | 4.6 | 4.5 | 4.7 | | | | | | | | | |
| Unknown | 152 | 0.1 | 0.1 | 0.1 | | | | | | | | | |
| Total | 151,837 | 100.0 | 100.0 | 100.0 | | | | | | | | | |

Note: Parity = number of pregnancies resulting in live births to a woman.




| | Los Angeles | s County, 20 | 06 | |
|---|-------------|--------------|-------------|---------------|
| Mother's Trimester Prenatal Care Began | Live E | Births | 95% Confide | ence Interval |
| Frenatal Care Degan | Number | Percent | Lower | Upper |
| No Prenatal Care | 597 | 0.4 | 0.4 | 0.4 |
| First | 137,077 | 90.3 | 90.1 | 90.4 |
| Second | 11,606 | 7.6 | 7.5 | 7.8 |
| Third | 1,902 | 1.3 | 1.2 | 1.3 |
| Unknown | 655 | 0.4 | 0.4 | 0.5 |
| Total | 151,837 | 100.0 | 100.0 | 100.0 |


Note: "Trimester Prenatal Care (PNC) Began" excludes the prenatal care experiences of all women whose pregnancies did not result in a live birth. Source: California Department of Public Health, Center for Health Statistics, OHIR Vital Statistics Section, 2006.



| L | Los Angeles County, 2006 | | | | | | | | | | | | |
|--|--------------------------|---------|-------------------------|-------|--|--|--|--|--|--|--|--|--|
| Adequacy of Prenatal Care Utilization Index | Live E | Births | 95% Confidence Interval | | | | | | | | | | |
| Care Othization index | Number | Percent | Lower | Upper | | | | | | | | | |
| Adequate | 135,961 | 89.5 | 89.4 | 89.7 | | | | | | | | | |
| Intermediate | 5,370 | 3.5 | 3.4 | 3.6 | | | | | | | | | |
| Inadequate | 9,145 | 6.0 | 5.9 | 6.1 | | | | | | | | | |
| Unknown | 1,361 | 0.9 | 0.8 | 0.9 | | | | | | | | | |
| Total | 151,837 | 100.0 | 100.0 | 100.0 | | | | | | | | | |




| L | os Angeles (| County, 2006 | i | |
|--|--------------|--------------|-------------|---------------|
| Source of Payment for Prenatal Care | Live E | Births | 95% Confide | ence Interval |
| Frenatai Gare | Number | Percent | Lower | Upper |
| No Prenatal Care | 597 | 0.4 | 0.4 | 0.4 |
| Private Insurance | 60,091 | 39.6 | 39.3 | 39.8 |
| Other Govt Programs | 1,808 | 1.2 | 1.1 | 1.2 |
| Medi-Cal | 80,631 | 53.1 | 52.9 | 53.4 |
| Self Pay | 3,167 | 2.1 | 2.0 | 2.2 |
| Other/Unknown | 5,543 | 3.7 | 3.6 | 3.7 |
| Total | 151,837 | 100.0 | 100.0 | 100.0 |




| L | Los Angeles County, 2006 | | | | | | | | | | | |
|------------|--------------------------|---------|-------------------------|-------|--|--|--|--|--|--|--|--|
| Birth Type | Live E | Births | 95% Confidence Interval | | | | | | | | | |
| | Number | Percent | Lower | Upper | | | | | | | | |
| Single | 147,340 | 97.0 | 97.0 | 97.1 | | | | | | | | |
| Twin | 4,291 | 2.8 | 2.7 | 2.9 | | | | | | | | |
| Triplet | 198 | 0.1 | 0.1 | 0.1 | | | | | | | | |
| Quadruplet | 8 | 0.0 | 0.0 | 0.0 | | | | | | | | |
| Total | 151,837 | 100.0 | 100.0 | 100.0 | | | | | | | | |

Source: California Department of Public Health, Center for Health Statistics, OHIR Vital Statistics Section, 2006.




| | | | Le | os Angeles C | County, 2006 | | | | | | |
|-------------------------|------------|---------------------------|--------|-------------------------------|--------------|-----------------------------------|-----------------------------------|---------|----------|---------|----------------------|
| Mother's | Very Low E | Very Low Birthweight | | Moderately Low Birthweight | | rthweight | Macrosomia Birthweight Unknown | | | • | Total Live Births |
| Race/Ethnicity 0 to 1,4 | | 0 to 1,499 grams 1,500 to | | | 2,500 to 3, | 2,500 to 3,999 grams 4,000+ grams | | | UIKIOWII | | Dirtis |
| | Number | Percent | Number | Percent | Number | Percent | Number | Percent | Number | Percent | |
| African American | 334 | 2.9 | 1,131 | 9.8 | 9,456 | 82.0 | 610 | 5.3 | 0 | 0.0 | 11,531 |
| Asian/Pacific Islander | 166 | 1.0 | 1,073 | 6.4 | 14,664 | 88.0 | 762 | 4.6 | 0 | 0.0 | 16,665 |
| Hispanic | 1,093 | 1.1 | 5,535 | 5.7 | 82,395 | 85.4 | 7,467 | 7.7 | 0 | 0.0 | 96,490 |
| Native American | 2 | 0.9 | 18 | 7.7 | 193 | 82.1 | 22 | 9.4 | 0 | 0.0 | 235 |
| White | 268 | 1.0 | 1,507 | 5.7 | 22,076 | 84.0 | 2,428 | 9.2 | 0 | 0.0 | 26,279 |
| Other/Unknown | 18 | 2.8 | 51 | 8.0 | 521 | 81.8 | 46 | 7.2 | 1 | 0.2 | 637 |
| Total | 1,881 | 1.2 | 9,315 | 6.1 | 129,305 | 85.2 | 11,335 | 7.5 | 1 | 0.0 | 151,837 |




| | | | l | os Angeles (| County, 2006 | | | | | | Total Live | |
|------------------------|---------------------------|--------|-------------|--------------|--------------|------|-------|-------|----------|----------|----------------------|--|
| Mother's | Very P | reterm | Moderatel | y Preterm | Те | rm | Post- | -term | Gestatio | onal Age | Total Live Births | |
| Race/Ethnicity | Race/Ethnicity < 32 weeks | | 32-36 weeks | | 37-41 weeks | | 42+ w | /eeks | Unkr | nown | Diruis | |
| African American | 396 | 3.4 | 1,386 | 12.0 | 8,491 | 73.6 | 612 | 5.3 | 646 | 5.6 | 11,531 | |
| Asian/Pacific Islander | 199 | 1.2 | 1,452 | 8.7 | 13,828 | 83.0 | 823 | 4.9 | 363 | 2.2 | 16,665 | |
| Hispanic | 1,525 | 1.6 | 9,493 | 9.8 | 76,817 | 79.6 | 5,151 | 5.3 | 3,504 | 3.6 | 96,490 | |
| Native American | 3 | 1.3 | 25 | 10.6 | 192 | 81.7 | 6 | 2.6 | 9 | 3.8 | 235 | |
| White | 307 | 1.2 | 2,220 | 8.4 | 21,270 | 80.9 | 1,527 | 5.8 | 955 | 3.6 | 26,279 | |
| Other/Unknown | 19 | 3.0 | 61 | 9.6 | 421 | 66.1 | 29 | 4.6 | 107 | 16.8 | 637 | |
| Total | 2,449 | 1.6 | 14,637 | 9.6 | 121,019 | 79.7 | 8,148 | 5.4 | 5,584 | 3.7 | 151,837 | |

Note: Unknown includes those weeks of gestation not stated, less than 17 weeks of gestation, and 53 weeks or more gestation. These categories reflect inaccuracies rather than actual gestation periods. Gestation is calculated from reported date of last menses.




| | Los Angeles County, 2006 | | | | | | | | | | | | |
|------------------------|--------------------------|---|-------|-----|---------|------|--------|------|----|-----|--|---------|--|
| Mother's | | Mother's Age < 18 18 - 19 20 - 34 35+ Unknown | | | | | | | | | | | |
| Race/Ethnicity | < 1 | | | | | | | | | | | | |
| African American | 476 | 4.1 | 1,076 | 9.3 | 8,193 | 71.1 | 1,785 | 15.5 | 1 | 0.0 | | 11,531 | |
| Asian/Pacific Islander | 80 | 0.5 | 194 | 1.2 | 11,696 | 70.2 | 4,695 | 28.2 | 0 | 0.0 | | 16,665 | |
| Hispanic | 4,427 | 4.6 | 8,017 | 8.3 | 71,227 | 73.8 | 12,818 | 13.3 | 1 | 0.0 | | 96,490 | |
| Native American | 10 | 4.3 | 14 | 6.0 | 168 | 71.5 | 43 | 18.3 | 0 | 0.0 | | 235 | |
| White | 186 | 0.7 | 485 | 1.8 | 16,996 | 64.7 | 8,612 | 32.8 | 0 | 0.0 | | 26,279 | |
| Other/Unknown | 4 | 0.6 | 18 | 2.8 | 392 | 61.5 | 203 | 31.9 | 20 | 3.1 | | 637 | |
| Total | 5,183 | 3.4 | 9,804 | 6.5 | 108,672 | 71.6 | 28,156 | 18.5 | 22 | 0.0 | | 151,837 | |



| | Los Angeles County, 2006 | | | | | | | | | | | | | |
|------------------------|--------------------------|---|--------|------|--------|------|--------|------|--------|------|-------|------|--|--|
| Mother's | | Mother's Years of Education | | | | | | | | | | | | |
| Race/Ethnicity | 0 t | o 8 | 9 to | o 11 | 1 | 2 | 13 t | o 15 | 16 | ô+ | Unkr | nown | | |
| | Number | lumber Percent Number Percent Number Percent Number Percent Number Percent Number Percent | | | | | | | | | | | | |
| African American | 62 | 0.5 | 3,914 | 33.9 | 1,990 | 17.3 | 3,642 | 31.6 | 1,793 | 15.5 | 130 | 1.1 | | |
| Asian/Pacific Islander | 242 | 1.5 | 1,432 | 8.6 | 1,688 | 10.1 | 3,864 | 23.2 | 9,309 | 55.9 | 130 | 0.8 | | |
| Hispanic | 17,118 | 17.7 | 43,140 | 44.7 | 14,679 | 15.2 | 15,003 | 15.5 | 6,026 | 6.2 | 524 | 0.5 | | |
| Native American | 6 | 2.6 | 67 | 28.5 | 53 | 22.6 | 70 | 29.8 | 38 | 16.2 | 1 | 0.4 | | |
| White | 143 | 0.5 | 2,619 | 10.0 | 3,005 | 11.4 | 6,159 | 23.4 | 13,898 | 52.9 | 455 | 1.7 | | |
| Other/Unknown | 8 | 1.3 | 33 | 5.2 | 26 | 4.1 | 53 | 8.3 | 78 | 12.2 | 439 | 68.9 | | |
| Total | 17,579 | 11.6 | 51,205 | 33.7 | 21,441 | 14.1 | 28,791 | 19.0 | 31,142 | 20.5 | 1,679 | 1.1 | | |


Note: This analysis did not adjust for teen mothers who may not be old enough to have reached a higher categorical education level. Source: California Department of Public Health, Center for Health Statistics, OHIR Vital Statistics Section, 2006. Total Live Births

11,531 16,665 96,490 235 26,279 637 151,837




| | Los Angeles County, 2006 | | | | | | | | | | | | |
|----------------------------|--------------------------|----------|----------|-----------|----------|------------------------------------|--------|---------|-----------|----------|---------|---------|----------------------|
| | | Parity | | | | | | | | | | | |
| Mother's Race/Ethnicity | First Liv | ve Birth | Second L | ive Birth | Third Li | Third Live Birth Fourth Live Birth | | | Fifth+ Li | ve Birth | Unknown | | Total Live Births |
| | Number | Percent | Number | Percent | Number | Percent | Number | Percent | Number | Percent | Number | Percent | |
| African American | 4,798 | 41.6 | 3,166 | 27.5 | 1,908 | 16.5 | 872 | 7.6 | 772 | 6.7 | 15 | 0.1 | 11,531 |
| Asian Pacific Islander | 8,169 | 49.0 | 5,867 | 35.2 | 1,952 | 11.7 | 449 | 2.7 | 219 | 1.3 | 9 | 0.1 | 16,665 |
| Hispanic | 33,677 | 34.9 | 28,943 | 30.0 | 19,452 | 20.2 | 9,048 | 9.4 | 5,329 | 5.5 | 41 | 0.0 | 96,490 |
| Native American | 91 | 38.7 | 62 | 26.4 | 36 | 15.3 | 17 | 7.2 | 29 | 12.3 | 0 | 0.0 | 235 |
| White | 12,143 | 46.2 | 8,934 | 34.0 | 3,446 | 13.1 | 1,106 | 4.2 | 590 | 2.2 | 60 | 0.2 | 26,279 |
| Other/Unknown | 314 | 49.3 | 148 | 23.2 | 77 | 12.1 | 42 | 6.6 | 29 | 4.6 | 27 | 4.2 | 637 |
| Total | 59,192 | 39.0 | 47,120 | 31.0 | 26,871 | 17.7 | 11,534 | 7.6 | 6,968 | 4.6 | 152 | 0.1 | 151,837 |

Note: Parity = number of pregnancies resulting in live births to a woman.



Year 2010 Objective: Increase the proportion of pregnant women who receive prenatal care in the first trimester of pregnancy to 90 percent of live births.


Note: "Trimester Prenatal Care (PNC) Began" excludes the prenatal care experiences of all women whose pregnancies did not result in a live birth.




| | Los Angeles County, 2006 | | | | | | | | | | | | | | |
|-----------------------------|--------------------------|---|--------|--------------|--------|---------|--------|---------|--|---------|--|--|--|--|--|
| Matharla | | Adequacy of Prenatal Care Utilization Index | | | | | | | | | | | | | |
| Mother's Race/Ethinicity | Adeq | uate | Interm | Intermediate | | quate | Unkn | own | | Births | | | | | |
| | Number | Percent | Number | Percent | Number | Percent | Number | Percent | | | | | | | |
| African American | 9,868 | 85.6 | 385 | 3.3 | 1,102 | 9.6 | 176 | 1.5 | | 11,531 | | | | | |
| Asian/Pacific Islander | 15,360 | 92.2 | 466 | 2.8 | 734 | 4.4 | 105 | 0.6 | | 16,665 | | | | | |
| Hispanic | 85,461 | 88.6 | 3,944 | 4.1 | 6,397 | 6.6 | 688 | 0.7 | | 96,490 | | | | | |
| White | 24,587 | 93.6 | 553 | 2.1 | 842 | 3.2 | 297 | 1.1 | | 26,279 | | | | | |
| Other/Unknown | 494 | 77.6 | 15 | 2.4 | 37 | 5.8 | 91 | 14.3 | | 637 | | | | | |
| Total | 135,961 | 89.7 | 5,370 | 3.5 | 9,145 | 6.0 | 1,361 | 0.9 | | 151,602 | | | | | |

Year 2010 Objective: Increase the proportion ot pregnant women who receive early and adequate prenatal care to 90 percent of live births.

Note: The APNCU Index measures prenatal care utilization, which includes consideration of the month prenatal care began and the number of prenatal care visits during the time mothers actually received prenatal care. This utilization index is based on the recommendations established by the American College of Obstetrics and Gynecologists (ACOG). Appendix A contains the specific criteria for timing and number of prenatal care visits that are used to assign adequacy categories.




| | Los Angeles County, 2006 | | | | | | | | | | | | | | |
|----------------------------|--------------------------|-------------------------------------|-------------------|---------|------------------------------|---------|----------|---------|----------|---------|---------------|---------|--|----------------------|--|
| | | Source of Payment for Prenatal Care | | | | | | | | | | | | | |
| Mother's Race/Ethnicity | No Prenatal Care | | Private Insurance | | Other Government Programs | | Medi-Cal | | Self Pay | | Other/Unknown | | | Total Live Births | |
| | Number | Percent | Number | Percent | Number | Percent | Number | Percent | Number | Percent | Number | Percent | | | |
| African American | 89 | 0.8 | 4,364 | 37.8 | 246 | 2.1 | 5,606 | 48.6 | 175 | 1.5 | 1,051 | 9.1 | | 11,531 | |
| Asian/Pacific Islander | 40 | 0.2 | 10,246 | 61.5 | 159 | 1.0 | 3,966 | 23.8 | 1,311 | 7.9 | 943 | 5.7 | | 16,665 | |
| Hispanic | 361 | 0.4 | 24,681 | 25.6 | 1,220 | 1.3 | 66,503 | 68.9 | 1,216 | 1.3 | 2,509 | 2.6 | | 96,490 | |
| Native American | 3 | 1.3 | 105 | 44.7 | 5 | 2.1 | 104 | 44.3 | 4 | 1.7 | 14 | 6.0 | | 235 | |
| White | 91 | 0.3 | 20,303 | 77.3 | 172 | 0.7 | 4,303 | 16.4 | 449 | 1.7 | 960 | 3.7 | | 26,278 | |
| Other/Unknown | 13 | 2.0 | 392 | 61.5 | 6 | 0.9 | 149 | 23.4 | 12 | 1.9 | 65 | 10.2 | | 637 | |
| Total | 597 | 0.4 | 60,091 | 39.6 | 1,808 | 1.2 | 80,631 | 53.1 | 3,167 | 2.1 | 5,542 | 3.6 | | 151,836 | |




| | | | | Los Angeles | s County, 200 | 6 | | | | | |
|---------------------|----------------------|---------|-------------------|--------------------|---------------|-----------|--------|---------|------------------------|---------|----------------------|
| Serveice Planning | Very Low Birthweight | | Moderat Birthv | tely Low veight | Normal Bi | rthweight | Macro | somia | Birthweight Unknown | | Total Live Births |
| Area (SPA) | 0 to 1,49 | 9 grams | 1,500 to 2, | 499 grams | 2,500 to 3, | 999 grams | 4,000+ | grams | UIKI | lown | Dirtiis |
| | Number | Percent | Number | Percent | Number | Percent | Number | Percent | Number | Percent | |
| 1 - Antelope Valley | 101 | 12.1 | 391 | 46.8 | 316 | 37.8 | 26 | 3.1 | 1 | 0.1 | 835 |
| 2 - San Fernando | 308 | 4.0 | 1,717 | 22.4 | 5,159 | 67.2 | 489 | 6.4 | 0 | 0.0 | 7,673 |
| 3 - San Gabriel | 299 | 1.0 | 1,529 | 5.2 | 25,231 | 86.5 | 2,113 | 7.2 | 0 | 0.0 | 29,172 |
| 4 - Metro | 195 | 0.8 | 998 | 4.0 | 22,194 | 88.5 | 1,680 | 6.7 | 0 | 0.0 | 25,067 |
| 5 - West | 73 | 0.5 | 454 | 2.8 | 14,417 | 89.6 | 1,149 | 7.1 | 0 | 0.0 | 16,093 |
| 6 - South | 321 | 3.9 | 1,604 | 19.4 | 5,799 | 70.3 | 529 | 6.4 | 0 | 0.0 | 8,253 |
| 7 - East | 276 | 1.2 | 1,199 | 5.4 | 19,025 | 86.1 | 1,596 | 7.2 | 0 | 0.0 | 22,096 |
| 8 - South Bay | 305 | 1.4 | 1,393 | 6.5 | 18,036 | 83.8 | 1,788 | 8.3 | 0 | 0.0 | 21,522 |
| Unknown | 3 | 0.0 | 30 | 0.1 | 19,128 | 90.5 | 1,965 | 9.3 | 0 | 0.0 | 21,126 |
| Total | 1,881 | 1.2 | 9,315 | 6.1 | 129,305 | 85.2 | 11,335 | 7.5 | 1 | 0.0 | 151,837 |

Note: The mothers' residential zip codes were used to allocate live births to corresponding SPA. SPA corresponding to each zip code (published in 2003) were designated using the zip code centroids. Published statistics based on other corresponding tables may vary when compared. Records that cannot be assigned to any SPA are classified as 'Unknown'.




| Los Angeles County, 2006 | | | | | | | | | | | | | |
|---------------------------------|------------|---------|-------------|---------|---------|---------|--------|-----------|--------|-----------------|--|------------|--|
| Comunica Dianaira Anos | Very P | reterm | Moderate | Preterm | Te | rm | Post | Post-term | | Gestational Age | | Total Live | |
| Serveice Planning Area (SPA) | < 32 weeks | | 32-36 weeks | | 37-41 | weeks | 42+ v | 42+ weeks | | Unknown | | Births | |
| (OFA) | Number | Percent | Number | Percent | Number | Percent | Number | Percent | Number | Percent | | | |
| 1 - Antelope Valley | 144 | 2.3 | 652 | 10.6 | 4,610 | 75.1 | 469 | 7.6 | 265 | 4.3 | | 6,14 | |
| 2 - San Fernando | 410 | 1.4 | 2,905 | 9.9 | 23,630 | 80.5 | 1,446 | 4.9 | 978 | 3.3 | | 29,36 | |
| 3 - San Gabriel | 335 | 1.3 | 2,306 | 9.0 | 20,637 | 80.3 | 1,154 | 4.5 | 1,270 | 4.9 | | 25,70 | |
| 4 - Metro | 253 | 1.5 | 1,622 | 9.7 | 13,442 | 80.2 | 915 | 5.5 | 527 | 3.1 | | 16,75 | |
| 5 - West | 80 | 1.2 | 591 | 8.6 | 5,299 | 77.3 | 465 | 6.8 | 420 | 6.1 | | 6,85 | |
| 6 - South | 439 | 1.9 | 2,390 | 10.6 | 17,478 | 77.5 | 1,282 | 5.7 | 957 | 4.2 | | 22,54 | |
| 7 - East | 384 | 1.8 | 2,003 | 9.4 | 17,192 | 80.7 | 1,177 | 5.5 | 543 | 2.5 | | 21,29 | |
| 8 - South Bay | 399 | 1.8 | 2,131 | 9.4 | 18,457 | 81.0 | 1,223 | 5.4 | 581 | 2.5 | | 22,79 | |
| Unknown | 5 | 1.3 | 37 | 9.8 | 274 | 72.9 | 17 | 4.5 | 43 | 11.4 | | 37 | |
| Total | 2,449 | 1.6 | 14,637 | 9.6 | 121,019 | 79.7 | 8,148 | 5.4 | 5,584 | 3.7 | | 151,83 | |

Note: Unknown includes those weeks of gestation not stated, less than 17 weeks of gestation, and 53 weeks or more gestation. These categories reflect inaccuracies rather than actual gestation periods. Gestation is calculated from reported date of last menses. The mothers' residential zip codes were used to allocate live births to corresponding SPA. SPA corresponding to each zip code (published in 2003) were designated using the zip code centroids. Published statistics based on other corresponding tables may vary when compared. Records that cannot be assigned to any SPA are classified as 'Unknown'.




| | Los Angeles County, 2006 | | | | | | | | | | | | | |
|---------------------------------|--------------------------|-----------|---------|---------|----------------|---------|--------|---------|------------|---------|--|--------------------|--|--|
| о : р. : | No Brong | atal Cara | | Mother | 's Trimester I | Unknown | | | Total Live | | | | | |
| Serveice Planning Area (SPA) | No Prenatal Care | | First | | Sec | ond | Third | | UIKI | IOWII | | Births | | |
| Alou (OFA) | Number | Percent | Number | Percent | Number | Percent | Number | Percent | Number | Percent | | | | |
| 1 - Antelope Valley | 76 | 1.2 | 4,913 | 80.0 | 1,009 | 16.4 | 139 | 2.3 | 3 | 0.0 | | 6,14 | | |
| 2 - San Fernando | 105 | 0.4 | 27,111 | 92.3 | 1,817 | 6.2 | 229 | 0.8 | 107 | 0.4 | | 29,36 | | |
| 3 - San Gabriel | 91 | 0.4 | 23,464 | 91.3 | 1,816 | 7.1 | 281 | 1.1 | 50 | 0.2 | | 25,70 | | |
| 4 - Metro | 43 | 0.3 | 15,446 | 92.2 | 1,022 | 6.1 | 177 | 1.1 | 71 | 0.4 | | 16,759 | | |
| 5 - West | 7 | 0.1 | 6,381 | 93.1 | 253 | 3.7 | 42 | 0.6 | 172 | 2.5 | | 6,85 | | |
| 6 - South | 87 | 0.4 | 19,785 | 87.8 | 2,164 | 9.6 | 403 | 1.8 | 107 | 0.5 | | 22,546 | | |
| 7 - East | 85 | 0.4 | 19,169 | 90.0 | 1,685 | 7.9 | 300 | 1.4 | 60 | 0.3 | | 21,299 | | |
| 8 - South Bay | 86 | 0.4 | 20,518 | 90.0 | 1,814 | 8.0 | 311 | 1.4 | 62 | 0.3 | | 22,79 ⁻ | | |
| Unknown | 17 | 4.5 | 290 | 77.1 | 26 | 6.9 | 20 | 5.3 | 23 | 6.1 | | 37 | | |
| Total | 597 | 0.4 | 137,077 | 90.3 | 11,606 | 7.6 | 1,902 | 1.3 | 655 | 0.4 | | 151,83 | | |

Note: "Trimester Prenatal Care (PNC) Began" excludes the prenatal care experiences of all women whose pregnancies did not result in a live birth. The mothers' residential zip codes were used to allocate live births to corresponding SPA. SPA corresponding to each zip code (published in 2003) were designated using the zip code centroids. Published statistics based on other corresponding tables may vary when compared. Records that cannot be assigned to any SPA are classified as 'Unknown'.



| | | | Lo | os Angeles C | ounty, 2006 | | | | | | |
|--|------------------|-------------|----------------------|--------------|----------------------|--------------------|--------------|------------|--------|----------------|----------------------|
| Source of Payment for Prenatal Care | Very Low E | Birthweight | Moderat Birthw | - | Normal Bi | Normal Birthweight | | Macrosomia | | veight Iown | Total Live Births |
| | 0 to 1,499 grams | | 1,500 to 2,499 grams | | 2,500 to 3,999 grams | | 4,000+ grams | | UIKI | IOWII | Dirtits |
| | Number | Percent | Number | Percent | Number | Percent | Number | Percent | Number | Percent | |
| No Prenatal Care | 56 | 9.4 | 77 | 12.9 | 435 | 72.9 | 29 | 4.9 | 0 | 0.0 | 597 |
| Private Insurance | 746 | 1.2 | 3,640 | 6.1 | 50,782 | 84.5 | 4,923 | 8.2 | 0 | 0.0 | 60,091 |
| Other Govt Programs | 20 | 1.1 | 121 | 6.7 | 1,520 | 84.1 | 147 | 8.1 | 0 | 0.0 | 1,808 |
| Medi-Cal | 943 | 1.2 | 4,918 | 6.1 | 69,077 | 85.7 | 5,693 | 7.1 | 0 | 0.0 | 80,631 |
| Self Pay | 28 | 0.9 | 170 | 5.4 | 2,793 | 88.2 | 176 | 5.6 | 0 | 0.0 | 3,167 |
| Other/Unknown | 88 | 1.6 | 389 | 7.0 | 4,698 | 84.8 | 367 | 6.6 | 1 | 0.0 | 5,543 |
| Total | 1,881 | 1.2 | 9,315 | 6.1 | 129,305 | 85.2 | 11,335 | 7.5 | 1 | 0.0 | 151,837 |




| | Los Angeles County, 2006 | | | | | | | | | | | | | |
|--|--------------------------|---------|-----------------|---------|--------|---------|------------|---------|--|---------|--|--|--|--|
| Source of Payment for Prenatal Care | | Adequ | acy of Prenatal | Unkr | own | | Total Live | | | | | | | |
| | Adeo | luate | Interm | ediate | Inade | quate | UIKI | IOWIT | | Births | | | | |
| for i renatar oare | Number | Percent | Number | Percent | Number | Percent | Number | Percent | | | | | | |
| No Prenatal Care | 0 | 0.0 | 0 | 0.0 | 597 | 100.0 | 0 | 0.0 | | 597 | | | | |
| Private Insurance | 55,961 | 93.1 | 1,817 | 3.0 | 1,830 | 3.0 | 483 | 0.8 | | 60,091 | | | | |
| Other Govt Programs | 1,671 | 92.4 | 67 | 3.7 | 69 | 3.8 | 1 | 0.1 | | 1,808 | | | | |
| Medi-Cal | 70,603 | 87.6 | 3,238 | 4.0 | 6,070 | 7.5 | 720 | 0.9 | | 80,631 | | | | |
| Self Pay | 2,684 | 84.7 | 132 | 4.2 | 320 | 10.1 | 31 | 1.0 | | 3,167 | | | | |
| Other/Unknown | 5,042 | 91.0 | 116 | 2.1 | 259 | 4.7 | 126 | 2.3 | | 5,543 | | | | |
| Total | 135,961 | 89.5 | 5,370 | 3.5 | 9,145 | 6.0 | 1,361 | 0.9 | | 151,837 | | | | |

Note: The APNCU Index measures prenatal care utilization, which includes consideration of the month prenatal care began and the number of prenatal care visits during the time mothers actually received prenatal care. This utilization index is based on the recommendations established by the American College of Obstetrics and Gynecologists (ACOG). Appendix A contains the specific criteria for timing and number of prenatal care visits that are used to assign adequacy categories.

Number of Live Births by Zip Code* and Service Planning Area (SPA)

Los Angeles County, 2006



Total number of live births in Los Angeles County, 2006 = 151,837

Los Angeles County - Department of Public Health

Percent of Live Births

by Zip Code* and Service Planning Area (SPA)

Los Angeles County, 2006

