Infant Mortality

TITLE V INDICATOR TEMPLATE

INDICATOR: Infant Mortality Rate

DEFINITION: The number of infant deaths occurring at less than 365 days of age per 1,000 live births

NUMERATOR: The number of infant deaths occurring at less than 365 days of age, by place of residence, in a calendar year

DENOMINATOR: The total number of live births, by place of residence, in a calendar year


HEALTHY PEOPLE 2020 OBJECTIVE:

RISK FACTORS: Race/ethnicity; prematurity/disorders related to short gestation; low birth weight; congenital anomalies; young maternal age; low maternal education level; maternal tobacco use; maternal alcohol or substance use/abuse; poor maternal nutrition; inadequate prenatal care; unintended pregnancy; maternal psychosocial problems; maternal medical complications/chronic illness during pregnancy (including diabetes); pregnancy complications; short interpregnancy interval; injury (including domestic violence); infection; respiratory distress syndrome; family history of SIDS


Year	California				Los Angeles County				
	Infant Mortality		95% Confidence Interval		Infant Mortality		95% Confidence Interval		
	Deaths	Rate	Lower	Upper	Deaths	Rate	Lower	Upper	
2004	2,811	5.2	5.0	5.4	757	5.0	4.6	5.4	
2005	2,913	5.3	5.1	5.5	745	5.0	4.6	5.3	
2006	2,829	5.0	4.8	5.2	738	4.9	4.5	5.2	
2007	2,941	5.2	5.0	5.4	812	5.3	5.0	5.7	
2008	2,806	5.1	4.9	5.3	742	5.0	4.7	5.4	
2009	2,593	4.9	4.7	5.1	704	5.0	4.7	5.4	
2010	2,419	4.7	4.6	4.9	617	4.6	4.3	5.0	
2011	2,397	4.8	4.6	5.0	619	4.8	4.4	5.1	
2012	2,247	4.5	4.3	4.6	567	4.3	4.0	4.7	
2013	2,348	4.7	4.6	4.9	570	4.4	4.1	4.8	

Denominator: Live Births							
Year	California	LA County					
2004	544,685	151,504					
2005	548,700	150,377					
2006	562,157	151,837					
2007	566,137	151,813					
2008	551,567	147,684					
2009	526,774	139,679					
2010	509,979	133,160					
2011	502,023	130,313					
2012	503,788	131,697					
2013	494,392	128,526					

Reduce the infant mortality rate to no more than 6.0 per 1,000 live births. (Baseline: 6.7 per 1,000 live births in 2006) (Objective MICH-1.3)



Year 2020 Objective: Reduce the infant mortality rate to no more than 6.0 per 1,000 live births.



Los Angeles County, 2013						Percent Distribution of Infant Deaths
Race/Ethnicity	Infant N	lortality	95% Confidence Interval		Total Live Births	by Race/Ethnicity Los Angeles County, 2013
	Deaths	Rate	Lower	Upper		Two or More Other/
African American	96	10.3	8.3	12.4	9,319	White Races Unknown
Asian/Pacific Islander	50	2.5	1.8	3.2	19,720	11.9% ^{4.7%} ^{0.0%} American
Hispanic	326	4.5	4.0	5.0	72,645	16.8%
Native American	<5	N/C	N/C	N/C	159	Native American Asian/
White	68	3.0	2.3	3.7	23,002	0.0% Pacific Islander
Two or More Races	27	14.1	8.8	19.3	1,919	8.8%
Other/Unknown	<5	N/C	N/C	N/C	1,762	Hispanic
Total	570	4.4	4.1	4.8	128,526	57.2%

Year 2020 Objective: Reduce the infant mortality rate to no more than 6.0 per 1,000 live births.

Note: Infant mortality rate is defined as infant deaths occurring less than 365 days per 1,000 live births.
Racial/ethnic categorization has been revised in this report; data from previous year reports may not be comparable.
African American, Asian/Pacific Islander, Native American, White and other races exclude Hispanic ethnicity. Hispanic includes any race category.
Numbers fewer than 5 are shown as "<5". Rates are not calculated (N/C) if number is fewer than five.
Source: California Department of Public Health, Center for Health Statistics, OHIR Vital Statistics Section, 2013

TITLE V INDICATOR TEMPLATE


INDICATOR:	Neonatal Mortality Rate
DEFINITION:	The number of infant deaths occurring at less than 28 days of age per 1,000 live births
NUMERATOR:	The number of infant deaths occurring at less than 28 days of age, by place of residence, in a calendar year
DENOMINATOR:	The total number of live births, by place of residence, in a calendar year
HEALTHY PEOPLE 2020 O	BJECTIVE:
	Reduce the neonatal mortality rate to no more than 4.1 per 1,000 live births. (Baseline: 4.5 per 1,000 live births in 2006) (Objective MICH-1.4)
RISK FACTORS:	Congenital anomalies; respiratory distress syndrome; short gestation; low birth weight; maternal complications; race/ethnicity (African American, Puerto Rican)

See also risk factors for infant mortality.


Year		Calif	ornia		Los Angeles County			
	Neonatal Mortality		95% Confidence Interval		Neonatal Mortality		95% Confidence Interval	
	Deaths	Rate	Lower	Upper	Deaths	Rate	Lower	Upper
2004	1,904	3.5	3.3	3.7	566	3.7	3.4	4.0
2005	1,977	3.6	3.4	3.8	499	3.3	3.0	3.6
2006	1,949	3.5	3.3	3.6	498	3.3	3.0	3.6
2007	2,007	3.5	3.4	3.7	501	3.3	3.0	3.6
2008	1,902	3.4	3.3	3.6	567	3.8	3.5	4.2
2009	1,755	3.3	3.2	3.5	500	3.6	3.3	3.9
2010	1,685	3.3	3.1	3.5	466	3.5	3.2	3.8
2011	1,692	3.4	3.2	3.5	412	3.2	2.9	3.5
2012	N/A	N/C	N/C	N/C	439	3.3	3.0	3.6
2013	N/A	N/C	N/C	N/C	395	3.1	2.8	3.4

Denominator: Live Births							
Year	California	LA County					
2004	544,685	151,504					
2005	548,700	150,377					
2006	562,157	151,837					
2007	566,137	151,813					
2008	551,567	147,684					
2009	526,774	139,679					
2010	509,979	133,160					
2011	502,023	130,313					
2012	503,788	131,697					
2013	494,392	128,526					

Note: California data for 2012 and 2013 not available (N/A) for retrieval. Rates are not calculated (N/C).



Year 2020 Objective: Reduce neonatal deaths to no more than 4.1 per 1,000 live births.



Year 2020 Objective: Reduce neonatal deaths to no more than 4.1 per 1,000 live births.

Note: Neonatal mortality rate is defined as infant deaths occurring less than 28 days per 1,000 live births. Racial/ethnic categorization has been revised in this report; data from previous year reports may not be comparable. African American, Asian/Pacific Islander, Native American, White and other races exclude Hispanic ethnicity. Hispanic includes any race category. Numbers fewer than 5 are shown as "<5". Rates are not calculated (N/C) if number is fewer than five.

TITLE V INDICATOR TEMPLATE


INDICATOR:	Post-Neonatal Mortality Rate
DEFINITION:	The number of infant deaths occurring from 28 through 364 days of age per 1,000 live births
NUMERATOR:	The number of infant deaths occurring from 28 through 364 days of age, by place of residence, in a calendar year
DENOMINATOR:	The total number of live births, by place of residence, in a calendar year
HEALTHY PEOPLE 2020 C	PBJECTIVE:
	Reduce the post-neonatal mortality rate to no more than 2.0 per 1,000 live births. (Baseline: 2.2 per 1,000 live births in 2006) (Objective MICH-1.5)
RISK FACTORS:	Congenital anomalies; injuries; infection in late pregnancy; family history of SIDS; maternal smoking or drug use; young maternal age (teen births); race/ethnicity (African American, Puerto Rican)

See also risk factors for infant mortality.


Year		Calif	ornia		Los Angeles County			
	Post-Neonatal Mortality		95% Confidence Interval		Post-Neonatal Mortality		95% Confidence Interval	
	Deaths	Rate	Lower	Upper	Deaths	Rate	Lower	Upper
2004	907	1.7	1.6	1.8	287	1.9	1.7	2.1
2005	936	1.7	1.6	1.8	250	1.7	1.5	1.9
2006	880	1.6	1.5	1.7	253	1.7	1.5	1.9
2007	934	1.6	1.5	1.8	246	1.6	1.4	1.8
2008	904	1.6	1.5	1.7	231	1.6	1.4	1.8
2009	838	1.6	1.5	1.7	241	1.7	1.5	1.9
2010	734	1.4	1.3	1.5	238	1.8	1.6	2.0
2011	705	1.4	1.3	1.5	205	1.6	1.4	1.8
2012	N/A	N/C	N/C	N/C	180	1.4	1.2	1.6
2013	N/A	N/C	N/C	N/C	175	1.4	1.2	1.6

Denominator: Live Births							
Year	California	LA County					
2004	544,685	151,504					
2005	548,700	150,377					
2006	562,157	151,837					
2007	566,137	151,813					
2008	551,567	147,684					
2009	526,774	139,679					
2010	509,979	133,160					
2011	502,023	130,313					
2012	503,788	131,697					
2013	494,392	128,526					


Note: California data for 2012 and 2013 not available (N/A) for retrieval. Rates are not calculated (N/C).



Year 2020 Objective: Reduce the post-neonatal deaths to no more than 2.0 per 1,000 live births.



Deee/Ethricity	Post-Neonatal Mortality 95% Confidence Interve			ence Interval	Total Live Births
Race/Ethnicity	Deaths	Rate	Lower	Upper	Dirtiis
African American	30	3.2	2.1	4.4	9,319
Asian/Pacific Islander	13	0.7	0.3	1.0	19,720
Hispanic	103	1.4	1.1	1.7	72,645
Native American	<5	N/C	N/C	N/C	159
White	22	1.0	0.6	1.4	23,002
Two or More Races	7	3.6	1.0	6.3	1,919
Other/Unknown	<5	N/C	N/C	N/C	1,762
Total	175	1.4	1.2	1.6	128,526



Year 2020 Objective: Reduce the post-neonatal deaths to no more than 2.0 per 1,000 live births.

> Note: Post-neonatal mortality rate is defined as infant deaths occurring from 28 through 364 days of age per 1,000 live births. Racial/ethnic categorization has been revised in this report; data from previous year reports may not be comparable. African American, Asian/Pacific Islander, Native American, White and other races exclude Hispanic ethnicity. Hispanic includes any race category. Numbers fewer than 5 are shown as "<5". Rates are not calculated (N/C) if number is fewer than five.