Prenatal Care

TITLE V INDICATOR TEMPLATE

INDICATOR:	First Trimester Onset of Prenatal Care (PNC)
DEFINITION:	The percent of live born infants whose mothers received prenatal care in the first trimester of pregnancy
NUMERATOR:	The number of live births to women who received prenatal care during the first trimester, by place of residence, in a calendar year
DENOMINATOR:	The total number of live births, by place of residence, in a calendar year
HEALTHY PEOPLE 2020 O	BJECTIVE:

Increase the proportion of pregnant women who receive prenatal care in the first trimester of pregnancy to 77.9 percent of live births. (Baseline: 70.8 percent of pregnant women in 2007) (Objective MICH–10.1)


RISK FACTORS: For not obtaining early prenatal care Low income; young maternal age/teen pregnancy; low maternal education level; race/ethnicity (African American, Hispanic, American Indian/Alaska Native); high parity; maternal substance abuse; lack of health insurance; lack of obstetric providers

		Calif	ornia	Los Angeles County					
Year	First Trimester Prenatal Care		95% Confidence Interval			imester al Care	95% Confidence Interval		
	Number	Percent	Lower	Upper	Number	Percent	Lower	Upper	
2004	466,463	85.6	85.5	85.7	136,144	89.9	89.7	90.0	
2005	470,955	85.8	85.7	85.9	136,020	90.5	90.3	90.6	
2006	478,973	85.2	85.1	85.3	137,077	90.3	90.1	90.4	
2007	459,188	80.9	80.8	81.0	129,741	85.5	85.3	85.6	
2008	445,108	80.7	80.6	80.8	123,251	83.5	83.3	83.6	
2009	428,449	81.3	81.2	81.4	116,717	83.6	83.4	83.8	
2010	416,759	81.7	81.6	81.8	110,516	83.0	82.8	83.2	
2011	410,213	81.7	81.6	81.8	106,307	81.6	81.4	81.8	
2012	412,679	81.9	81.8	82.0	106,996	81.2	81.0	81.5	
2013	406,305	82.2	82.1	82.3	105,259	81.9	81.7	82.1	

Denominator: Live Births								
Year	California	LA County						
2004	544,685	151,504						
2005	548,700	150,377						
2006	562,157	151,837						
2007	567,527	151,813						
2008	551,567	147,684						
2009	526,774	139,679						
2010	509,979	133,160						
2011	502,023	130,313						
2012	503,788	131,697						
2013	494,392	128,526						


Note: The decrease in first-trimester entry in 2007 is due at least in part to a recategorization of this data in birth certificates. This measure excludes the prenatal care experiences of all women whose pregnancies did not result in live births.

Source: California Department of Public Health, Center for Health Statistics, OHIR Vital Statistics Section, 2004-2013.




Year 2020 Objective: Increase the proportion of pregnant women who receive prenatal care in the first trimester of pregnancy to 77.9 percent of live births.

- Note: The decrease in first-trimester entry in 2007 is due at least in part to a recategorization of this data in birth certificates.
 - This measure excludes the prenatal care experiences of all women whose pregnancies did not result in live births.
- Source: California Department of Public Health, Center for Health Statistics, OHIR Vital Statistics Section, 2004-2013.



Los Angeles County, 2013									
Mother's Trimester	Very Low E	Birthweight	Moderat Birthv	•	Normal B	rthweight	Macro	somia	Total Live Births
Prenatal Care Began 0 to 1,499 grams		9 grams	1,500 to 2,	499 grams	2,500 to 3,999 grams		4,000+ grams		Dirtitis
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	
No Prenatal Care	37	7.5	65	13.2	373	75.7	17	3.4	493
First	1,238	1.2	6,083	5.8	90,524	86.0	7,411	7.0	105,259
Second	143	1.0	872	6.0	12,443	86.2	980	6.8	14,438
Third	7	0.2	167	4.4	3,416	89.4	232	6.1	3,822
Unknown	103	2.3	343	7.6	3,796	84.1	272	6.0	4,514
Total	1,528	1.2	7,530	5.9	110,552	86.0	8,912	6.9	128,526

Note: "Trimester Prenatal Care Began" excludes the prenatal care experiences of all women whose pregnancies did not result in a live birth. Source: California Department of Public Health, Center for Health Statistics, OHIR Vital Statistics Section, 2013




			L	os Angeles (County, 2013						
		tel Care		Mother	's Trimester F	Prenatal Care	Began		Unknown		Total Live
Source of Payment for Prenatal Care	No Prenatal Care		Fir	st	Second		Third		Unkn	own	Births
for i renatar oare	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent	
No Prenatal Care	493	100.0	<5	N/C	<5	N/C	<5	N/C	<5	N/C	493
Private Insurance	<5	N/C	46,155	87.5	3,977	7.5	694	1.3	1,911	3.6	52,737
Other Govt Programs	<5	N/C	2,363	88.3	269	10.1	22	0.8	21	0.8	2,675
Medi-Cal	<5	N/C	49,860	79.1	9,064	14.4	2,307	3.7	1,821	2.9	63,052
Self Pay	<5	N/C	5,169	68.9	922	12.3	753	10.0	661	8.8	7,505
Other/Unknown	<5	N/C	1,712	82.9	206	10.0	46	2.2	100	4.8	2,064
Total	493	0.4	105,259	81.9	14,438	11.2	3,822	3.0	4,514	3.5	128,526

Note: "Trimester Prenatal Care Began" excludes the prenatal care experiences of all women whose pregnancies did not result in a live birth.

Numbers fewer than 5 are shown as "<5". Rates are not calculated (N/C) if number is fewer than five.


Source: California Department of Public Health, Center for Health Statistics, OHIR Vital Statistics Section, 2013



	Los Angeles County, 2013									
Source of Payment	Very Low Birthweight		Moderately Low Birthweight		Normal Bi	rthweight	Macros	somia		Total Live Births
for Prenatal Care	or Prenatal Care 0 to 1,499 grams		1,500 to 2,499 grams		2,500 to 3,999 grams		4,000+ grams			Birtiis
	Number	Percent	Number	Percent	Number	Percent	Number	Percent		
No Prenatal Care	37	7.5	65	13.2	373	75.7	17	3.4		493
Private Insurance	627	1.2	3,161	6.0	44,972	85.3	3,977	7.5		52,737
Other Govt Programs	19	0.7	156	5.8	2,324	86.9	176	6.6		2,675
Medi-Cal	763	1.2	3,699	5.9	54,378	86.2	4,209	6.7		63,052
Self Pay	48	0.6	321	4.3	6,764	90.1	372	5.0		7,505
Other/Unknown	34	1.6	128	6.2	1,741	84.4	161	7.8		2,064
Total	1,528	1.2	7,530	5.9	110,552	86.0	8,912	6.9		128,526

Note: "Trimester Prenatal Care Began" excludes the prenatal care experiences of all women whose pregnancies did not result in a live birth.


Source: California Department of Public Health, Center for Health Statistics, OHIR Vital Statistics Section, 2013



Note: "Trimester Prenatal Care Began" excludes the prenatal care experiences of all women whose pregnancies did not result in a live birth.

Numbers fewer than 5 are shown as "<5". Rates are not calculated (N/C) if number is fewer than five.

Source: California Department of Public Health, Center for Health Statistics, OHIR Vital Statistics Section, 2013



Los Angeles County, 2013										
Osumo of Deserved		Adequ	acy of Prenatal	Care Utilization	Index		Unkne	Unknown		
Source of Payment for Prenatal Care	Adeq	uate	Interm	ediate	Inade	quate	UIKIC	JW11		
	Number	Percent	Number	Percent	Number	Percent	Number	Percent		
No Prenatal Care	<5	N/C	<5	N/C	493	100.0	<5	N/C		
Private Insurance	46,357	87.9	1,148	2.2	2,217	4.2	3,015	5.7		
Other Govt Programs	2,431	90.9	69	2.6	146	5.5	29	1.1		
Medi-Cal	50,845	80.6	2,650	4.2	7,109	11.3	2,448	3.9		
Self Pay	4,764	63.5	571	7.6	1,264	16.8	906	12.1		
Other/Unknown	1,775	86.0	40	1.9	128	6.2	121	5.9		
Total	106,172	82.6	4,478	3.5	11,357	8.8	6,519	5.1		

Note: Numbers fewer than 5 are shown as "<5". Rates are not calculated (N/C) if number is fewer than five.

Source: California Department of Public Health, Center for Health Statistics, OHIR Vital Statistics Section, 2013

Total Live Births

> 493 52,737 2,675 63,052 7,505 2,064 **128,526**

TITLE V INDICATOR TEMPLATE

INDICATOR:	Percent of Total Live Births by Adequacy of Prenatal Care Utilization (APNCU) Index
DEFINITION:	The percent of live born infants whose mothers received adequate prenatal care as defined by the Adequacy of Prenatal Care Utilization Index (APNCU) developed by Milton Kotelchuck. This index does not assess the quality of the prenatal care that is delivered.
NUMERATOR:	The number of live births to women who received adequate care, as defined by the APNCU criteria, by place of residence, in a calendar year
DENOMINATOR:	The total number of live births, by place of residence, in a calendar year
HEALTHY PEOPLE 2020 OBJECTIV	/E:
	Increase the proportion of pregnant women who receive early and adequate prenatal care to 77.6 percent of live births.
	(Baseline: 70.5 percent of pregnant women in 2007) (Objective MICH–10.2)

RISK FACTORS: Inadequate Prenatal Care


Low income; young maternal age/teen pregnancy; low maternal education level; race/ethnicity (African American, Hispanic, American Indian/Alaskan Native); high parity; maternal substance abuse; lack of health insurance; lack of obstetric providers

		Calif	ornia		Los Angeles County				
Year	Adequate Prenatal Care		95% Confide	ence Interval	Adequate P	renatal Care	95% Confidence Interval		
	Number	Percent	Lower	Upper	Number	Percent	Lower	Upper	
2004	459,050	84.3	84.2	84.4	132,531	87.5	87.3	87.6	
2005	469,208	85.5	85.4	85.6	134,611	89.5	89.4	89.7	
2006	480,255	85.4	85.3	85.5	135,961	89.5	89.4	89.7	
2007	N/A	N/A	N/A	N/A	130,333	85.9	85.7	86.0	
2008	N/A	N/A	N/A	N/A	124,381	84.2	84.0	84.4	
2009	N/A	N/A	N/A	N/A	119,111	85.3	85.1	85.5	
2010	N/A	N/A	N/A	N/A	112,631	84.6	84.4	84.8	
2011	N/A	N/A	N/A	N/A	108,553	83.3	83.1	83.5	
2012	N/A	N/A	N/A	N/A	108,651	82.5	82.3	82.7	
2013	N/A	N/A	N/A	N/A	106,172	82.6	82.4	82.8	

Denominator: Live Births									
Year	California	LA County							
2004	544,685	151,504							
2005	548,700	150,377							
2006	562,157	151,837							
2007	567,527	151,813							
2008	551,567	147,684							
2009	526,774	139,679							
2010	509,979	133,160							
2011	502,023	130,313							
2012	503,788	131,697							
2013	494,392	128,523							

Note: The APNCU Index measures prenatal care utilization, which includes consideration of the month prenatal care began and the number of prenatal care visits during the time mothers actually received prenatal care. This utilization index is based on the recommendations established by the American College of Obstetrics and Gynecologists (ACOG). Appendix A contains the specific criteria for timing and number of prenatal care visits that are used to assign adequacy categories. Due to the change in methodology for calculating the Kotelchuck Index, data presented may not be comparable to those published in previous FHOP reports. N/A: 2007 - 2013 data for California not available for retrieval

Source: California Department of Public Health, Center for Health Statistics, OHIR Vital Statistics Section, 2004-2013.




Year 2020 Objective: Increase the proportion of pregnant women who receive early and adequate prenatal care to 77.6 percent of live births.

Note: The APNCU Index measures prenatal care utilization, which includes consideration of the month prenatal care began and the number of prenatal care visits during the time mothers actually received prenatal care. This utilization index is based on the recommendations established by the American College of Obstetrics and Gynecologists (ACOG). Appendix A contains the specific criteria for timing and number of prenatal care visits that are used to assign adequacy categories. Due to the change in methodology for calculating the Kotelchuck Index, data presented may not be comparable to those published in previous FHOP reports. Source: California Department of Public Health, Center for Health Statistics, OHIR Vital Statistics Section, 2004-2013.

Los Angeles County - Department of Public Health

Number of Live Births by Mothers who had Late Prenatal Care by Zip Code* and Service Planning Area (SPA) Los Angeles County, 2013



Total number of live births in Los Angeles County, 2012= 128,526


Total number of mothers who had late prenatal care in Los Angeles County, 2013 = 18,260

Note: Prenatal care that begins in the second or third trimester is considered late.

Zip code 90704 (Catalina Island) is not included. Total number of mothers who had late prenatal care in 90704, 2013 = 9


Source : California Department of Public Health, Center for Health Statistics, OHIR Vital Statistics Section, 2013.

Los Angeles County - Department of Public Health Percent of Live Births by Mothers who had Late Prenatal Care by Zip Code* and Service Planning Area (SPA) Los Angeles County, 2013



Source : California Department of Public Health, Center for Health Statistics, OHIR Vital Statistics Section, 2013.

Los Angeles County - Department of Public Health Number of Live Births by Mothers who had No Prenatal Care by Zip Code* and Service Planning Area (SPA) Los Angeles County, 2013




Total number of mothers who had no prenatal care in Los Angeles County, 2013 = 493

Zip code 90704 (Catalina Island) is not included. Total number of mothers who had no prenatal care in 90704, 2013 = 0

Source: California Department of Public Health, Center for Health Statistics, OHIR Vital Statistics Section, 2013.

Los Angeles County - Department of Public Health Percent of Live Births by Mothers who had No Prenatal Care by Zip Code* and Service Planning Area (SPA) Los Angeles County, 2013



Zip code 90704 (Catalina Island) is not included. Percent of mothers who had no prenatal care in 90704, 2013 = 0.00

Source : California Department of Public Health, Center for Health Statistics, OHIR Vital Statistics Section, 2013.