		ICD-10 to DSM-5 Crosswalk fo	or Billing
	ICD-10 Code	ICD-10 Description	DSM-5 Diagnosis
	F10120	Alcohol abuse with intoxication, uncomplicated	Alcohol intoxication without alcohol use disorder
	F10129	Alcohol abuse with intoxication, unspecified	Alcohol intoxication with MILD alcohol use disorder
	F1010	Alcohol abuse, uncomplicated	Alcohol use disorder – MILD
	F10220	Alcohol dependence with intoxication, uncomplicated	Alcohol intoxication, with MODERATE or
	F10229	Alcohol dependence with intoxication, unspecified	SEVERE alcohol use disorder
Alcohol	F10230	Alcohol dependence with withdrawal, uncomplicated	Alcohol withdrawal with MODERATE or
A	F10239	Alcohol dependence with withdrawal, unspecified	SEVERE alcohol use disorder
	F1021	Alcohol dependence, in remission	MODERATE or SEVERE alcohol use disorder – IN REMISSION
	F1020	Alcohol dependence, uncomplicated	Alcohol use disorder – MODERATE or SEVERE
	F10920	Alcohol use, unspecified with intoxication, uncomplicated	Alcohol intoxication without alcohol use
	F10929	Alcohol use, unspecified with intoxication, unspecified	disorder
	F12120	Cannabis abuse with intoxication, uncomplicated	Cannabis intoxication with MILD cannabis use disorder
	F12129	Cannabis abuse with intoxication, unspecified	
	F1210	Cannabis abuse, uncomplicated	Cannabis use disorder – MILD
	F12220	Cannabis dependence with intoxication, uncomplicated	Cannabis intoxication with MODERATE or SEVERE cannabis use disorder
nabis	F12229	Cannabis dependence with intoxication, unspecified	
Canna	F1221	Cannabis dependence, in remission	MODERATE or SEVERE cannabis use disorder – IN REMISSION
	F1220	Cannabis dependence, uncomplicated	Cannabis use disorder – MODERATE or SEVERE
	F12920	Cannabis use, unspecified with intoxication, uncomplicated	Cannabis intoxication without cannabis use
	F12929	Cannabis use, unspecified with intoxication, unspecified	disorder
	F1290	Cannabis use, unspecified, uncomplicated	Cannabis use without cannabis use disorder
	F14120	Cocaine abuse with intoxication, uncomplicated	Cocaine intoxication with MILD cocaine use disorder
	F14129	Cocaine abuse with intoxication, unspecified	
ine	F1410	Cocaine abuse, uncomplicated	Cocaine use disorder – MILD
Cocaine	F14229	Cocaine dependence with intoxication, unspecified	Cocaine intoxication with MODERATE or SEVERE cocaine use disorder
	F1423	Cocaine dependence with withdrawal	Cocaine withdrawal with MODERATE or SEVERE cocaine use disorder
	F1421	Cocaine dependence, in remission	MODERATE or SEVERE cocaine use disorder

	ICD-10 to DSM-5 Crosswalk for Billing		
	ICD-10 Code	ICD-10 Description	DSM-5 Diagnosis
			– IN REMISSION
	F1420	Cocaine dependence, uncomplicated	Cocaine use disorder – MODERATE or SEVERE
	F14920	Cocaine use, unspecified with intoxication, uncomplicated Cocaine use, unspecified with intoxication,	Cocaine intoxication without cocaine use disorder
	F14929	unspecified	
	F1490	Cocaine use, unspecified, uncomplicated	Cocaine use without cocaine use disorder
	F16120	Hallucinogen abuse with intoxication, uncomplicated	Phencyclidine (PCP) intoxication or other hallucinogen intoxication with MILD
	F16129	Hallucinogen abuse with intoxication, unspecified	phencyclidine use disorder
	F1610	Hallucinogen abuse, uncomplicated	Phencyclidine (PCP) use disorder – MILD Other hallucinogen use disorder – MILD
	F16220	Hallucinogen dependence with intoxication, uncomplicated	Phencyclidine (PCP) intoxication or other hallucinogen intoxication with MODERATE or SEVERE use disorder
gens	F16229	Hallucinogen dependence with intoxication, unspecified	
Hallucinogens	F1621	Hallucinogen dependence, in remission	MODERATE or SEVERE phencyclidine (PCP) or other hallucinogen use disorder
Hall	F1620	Hallucinogen dependence, uncomplicated	Phencyclidine (PCP) use disorder – MODERATE or SEVERE Other hallucinogen use disorder – MODERATE or SEVERE
	F16920	Hallucinogen use, unspecified with intoxication, uncomplicated	
	F16929	Hallucinogen use, unspecified with intoxication, unspecified	Phencyclidine (PCP) or other hallucinogen intoxication without use disorder
	F1690	Hallucinogen use, unspecified, uncomplicated	Phencyclidine (PCP) or other hallucinogen use without use disorder
	F18120	Inhalant abuse with intoxication, uncomplicated	Inhalant intoxication with MILD inhalant use disorder
	F18129	Inhalant abuse with intoxication, unspecified	use disorder
	F1810	Inhalant abuse, uncomplicated	Inhalant use disorder – MILD
	F18220	Inhalant dependence with intoxication, uncomplicated	Inhalant intoxication with MODERATE or SEVERE inhalant use disorder
ts	F18229	Inhalant dependence with intoxication, unspecified	
Inhalants	F1821	Inhalant dependence, in remission	MODERATE or SEVERE inhalant use disorder – IN REMISSION
밉	F1820	Inhalant dependence, uncomplicated	Inhalant use disorder – MODERATE or SEVERE
	F18920	Inhalant use, unspecified with intoxication, uncomplicated	Inhalant intoxication without inhalant use
	F18929	Inhalant use, unspecified with intoxication, unspecified	disorder
	F1890	Inhalant use, unspecified, uncomplicated	Inhalant use without inhalant use disorder

2

Rev 08/13/17

	ICD-10 to DSM-5 Crosswalk for Billing		
	ICD-10 Code	ICD-10 Description	DSM-5 Diagnosis
Opioids	F11120	Opioid abuse with intoxication, uncomplicated	Opioid Intoxication with MILD opioid use
	F11129	Opioid abuse with intoxication, unspecified	disorder
	E11220	Opioid dependence with intoxication,	
	F11220	uncomplicated	Opioid Intoxication with MODERATE or SEVERE opioid use disorder
	F11229	Opioid dependence with intoxication, unspecified	
	F1123	Opioid dependence with withdrawal	Opioid withdrawal or opioid withdrawal delirium
	F1121	Opioid dependence, in remission	MODERATE or SEVERE opioid use disorder – IN REMISSION
	F1120	Opioid dependence, uncomplicated	Opioid use disorder – MODERATE or SEVERE
	F11920	Opioid use, unspecified with intoxication, uncomplicated	Opioid Intoxication without opioid use
	F11929	Opioid use, unspecified with intoxication, unspecified	disorder
	F1193	Opioid use, unspecified with withdrawal	Opioid use with opioid withdrawal
	F1190	Opioid use, unspecified, uncomplicated	Opioid use without opioid use disorder
	F19120	Other psychoactive substance abuse with	
	113120	intoxication, uncomplicated	Other or unknown substance intoxication
	F19129	Other psychoactive substance abuse with intoxication, unspecified	with MILD use disorder
	F1910	Other psychoactive substance abuse, uncomplicated	Other or unknown substance use disorder – MILD
	F19220	Other psychoactive substance dependence with intoxication, uncomplicated	Other or unknown substance intoxication with MODERATE or SEVERE use disorder
S	F19229	Other psychoactive substance dependence with intoxication, unspecified	
tance	F19230	Other psychoactive substance dependence with withdrawal, uncomplicated	Other or unknown substance withdrawal
n Sub	F19239	Other psychoactive substance dependence with withdrawal, unspecified	
know	F1921	Other psychoactive substance dependence, in remission	MODERATE or SEVERE other or unknown substance use disorder – IN REMISSION
or Un	F1920	Other psychoactive substance dependence, uncomplicated	Other or unknown substance use disorder – MODERATE or SEVERE
Other or Unknown Substances	F19920	Other psychoactive substance use, unspecified with intoxication, uncomplicated	Other or unknown substance intoxication without use disorder
	F19929	Other psychoactive substance use, unspecified with intoxication, unspecified	
	F19930	Other psychoactive substance use, unspecified with withdrawal, uncomplicated	Other or unknown substance withdrawal
	F19939	Other psychoactive substance use, unspecified with withdrawal, unspecified	without use disorder
	F1990	Other psychoactive substance use, unspecified, uncomplicated	Other or unknown substance use without use disorder

	ICD-10 to DSM-5 Crosswalk for Billing		
	ICD-10 Code	ICD-10 Description	DSM-5 Diagnosis
	F15120	Other stimulant abuse with intoxication, uncomplicated	Amphetamine or other stimulant (methamphetamine) intoxication with
	F15129	Other stimulant abuse with intoxication, unspecified	MILD, MODERATE, or SEVERE) use disorder
	F1510	Other stimulant abuse, uncomplicated	Amphetamine or other stimulant (methamphetamine) use disorder – MILD
	F15220	Other stimulant dependence with intoxication, uncomplicated	Amphetamine or other stimulant (methamphetamine) intoxication with
	F15229	Other stimulant dependence with intoxication, unspecified	MODERATE or SEVERE use disorder
ts	F1523	Other stimulant dependence with withdrawal	Amphetamine or other stimulant (methamphetamine) withdrawal
Stimulants	F1521	Other stimulant dependence, in remission	MODERATE or SEVERE amphetamine or other stimulant (methamphetamine) use disorder – IN REMISSION
S	F1520	Other stimulant dependence, uncomplicated	Amphetamine or other stimulant (methamphetamine) use disorder – MODERATE or SEVERE
	F15920	Other stimulant use, unspecified with intoxication, uncomplicated	Amphetamine or other stimulant
	F15929	Other stimulant use, unspecified with intoxication, unspecified	(methamphetamine) intoxication without use disorder
	F1593	Other stimulant use, unspecified with withdrawal	Amphetamine or other stimulant (methamphetamine) withdrawal
	F1590	Other stimulant use, unspecified, uncomplicated	Amphetamine or other stimulant (methamphetamine) use without use disorder
	F13120	Sedative, hypnotic or anxiolytic abuse with intoxication, uncomplicated	Sedative, Hypnotic, or Anxiolytic (e.g.,
	F13129	Sedative, hypnotic or anxiolytic abuse with intoxication, unspecified	benzodiazepines or barbiturate) Intoxication with MILD use disorder
Sedatives, Hypnotics, or Anxiolytics	F1310	Sedative, hypnotic or anxiolytic abuse, uncomplicated	Sedative, Hypnotic, or Anxiolytic (e.g., benzodiazepines or barbiturate) use disorder – MILD
r Anx	F13220	Sedative, hypnotic or anxiolytic dependence with intoxication, uncomplicated	Sedative, Hypnotic, or Anxiolytic (e.g., benzodiazepines or barbiturate)
tics, o	F13229	Sedative, hypnotic or anxiolytic dependence with intoxication, unspecified	Intoxication with MODERATE or SEVERE use disorder
ypno	F13230	Sedative, hypnotic or anxiolytic dependence with withdrawal, uncomplicated	Sedative, Hypnotic, or Anxiolytic (e.g.,
ves, H	F13239	Sedative, hypnotic or anxiolytic dependence with withdrawal, unspecified	benzodiazepines or barbiturate) withdrawal
Sedati	F1321	Sedative, hypnotic or anxiolytic dependence, in remission	MODERATE or SEVERE Sedative, Hypnotic, or Anxiolytic (e.g., benzodiazepines or barbiturate) use disorder – IN REMISSION
	F1320	Sedative, hypnotic or anxiolytic dependence, uncomplicated	Sedative, Hypnotic, or Anxiolytic (e.g., benzodiazepines or barbiturate) use disorder – MODERATE or SEVERE
	F13921	Sedative, hypnotic or anxiolytic use,	Sedative, Hypnotic, or Anxiolytic (e.g.,

	ICD-10 to DSM-5 Crosswalk for Billing		
	ICD-10 Code	ICD-10 Description	DSM-5 Diagnosis
		unspecified with intoxication delirium	benzodiazepines or barbiturate) intoxication delirium without use disorder
	F13920	Sedative, hypnotic or anxiolytic use, unspecified with intoxication, uncomplicated	Sedative, Hypnotic, or Anxiolytic (e.g., benzodiazepines or barbiturate)
	F13929	Sedative, hypnotic or anxiolytic use, unspecified with intoxication, unspecified	intoxication without use disorder
	F13930	Sedative, hypnotic or anxiolytic use, unspecified with withdrawal, uncomplicated	Sedative, Hypnotic, or Anxiolytic (e.g., benzodiazepines or barbiturate) withdrawal
	F13939	Sedative, hypnotic or anxiolytic use, unspecified with withdrawal, unspecified	without use disorder
	F1390	Sedative, hypnotic, or anxiolytic use, unspecified, uncomplicated	Sedative, Hypnotic, or Anxiolytic (e.g., benzodiazepines or barbiturate) use without use disorder
Unknown	Z87898	Personal history of other specified conditions	Unknown substance or amount of use

EXAMPLES OF DRUGS

- Opioids:

- o Heroin
- Hydrocodone (Norco, Vicodin)
- Oxycodone (OxyContin, Percocet)
- o Morphine
- o Hydromorphone (Dilaudid)
- Codeine (cough syrup)
- o Meperidine (Demerol)
- o Fentanyl

- Sedative, Hypnotic, or Anxiolytics:

- o <u>Benzodiazepines</u>
 - Xanax (alprazolam)
 - Ativan (lorazepam)
 - Valium (diazepam)
 - Klonopin (clonazepam)
- o <u>Barbiturates</u>
 - Pentobarbital
 - Secobarbital
- o **Z-drugs**
 - Ambien (zolpidem)
 - Lunesta (eszopiclone)
 - Sonata (zaleplon)
 - Imrest (zopiclone)

- Stimulants:

- o Methamphetamine
- Cocaine
- o Ritalin (methylphenidate)
- Adderall (dextroamphetamine/ amphetamine)
- o Vyvanse (lisdexamfetamine)

- Hallucinogens:

- o Phencyclidine (PCP)
- o LSD (acid)
- Ecstasy (MDMA)
- o Ketamine
- o Magic mushrooms (Psilocybin)
- Peyote (Mescaline)

Inhalants:

- o Glue
- o Spray cans